TRUCKS

CHEVROLET SILVERADO 1500



2025 U.S. model shown with optional equipment.

2026 CHEVROLET SILVERADO 1500

Cabs/configurations	Regular, Double, Crew
Box length	1727 mm/1981 mm/2438 mm [5' 8"/6' 6"/8']
Wheelbase	3213 mm/3545 mm/3745 mm/ 3748 mm/3987 mm [126 in./140 in./147 in./148 in./157 in.]
Overall length	5358 mm/5834 mm/5890 mm/ 5915 mm/6132 mm/6157 mm [210.9 in./229.6 in./231.8 in./ 232.8 in./241.4 in./242.4 in.]
Max. seating capacity	6
Max. payload[19]	1025 kg [2,260 lbs.]
Max. trailering capacity[2]	6033 kg [13,300 lbs.][44]
Max. GVWR[20]	3311 kg [7,300 lbs.]

POLACK BROS. COMPETITION CHEVROLET

2026

CHEVROLET SILVERADO 1500

AVAILABLE MODELS

Work Truck 2WD or 4WD	1WT	LT Trail Boss 4WD	2LT
Custom 2WD or 4WD	1CX	ZR2 4WD	3LT
Custom Trail Boss 4WD	2CX	LTZ 2WD or 4WD	1LZ
LT 2WD or 4WD	1LT	High Country 4WD	3LZ
RST 2WD or 4WD	1SP		

EXTERIOR COLOURS

Black
Cypress Grey[3]
Polar White Tricoat[3]
Radiant Red Tintcoat[3]
Red Hot
Riptide Blue Metallic[3]
Sterling Grey Metallic
Summit White
White Sands[3]

NOTE: Availability varies by trim level, and select colours may require additional charges. See Order Guide for details.



HIGHLIGHTS

AVAILABLE
DURAMAX®
3.0L Turbo-Diesel Engine

UP TO
430 LB.-FT. [583 NM]
Max. Torque with Standard 2.7L TurboMax Engine

STANDARD
12 TIE-DOWNS
Welded Cargo Tie-Downs

KEY STANDARD FEATURES

Features based on Work Truck model with 1WT equipment group.

SAFETY + SECURITY

Buckle to Drive[5]

Chevrolet Safety Assist, includes Automatic Emergency Braking[5], Front Pedestrian Braking[5], Lane Keep Assist with Lane Departure Warning[5], Following Distance Indicator[5], Forward Collision Alert[5] and IntelliBeam® auto high beam control[5]

HD Rear Vision Camera[5] with pickup box

Tire Pressure Monitoring System[5] (excludes spare tire), auto learn, includes Tire Fill Alert[5]

PERFORMANCE

2.7L TurboMax engine (310 hp [231 kW]/430 lb.-ft. [583 Nm] of torque) with 8-speed automatic transmission

4-wheel antilock disc brakes with Duralife® brake rotors

StabiliTrak® Electronic Stability Control System[5] with Proactive Roll Avoidance and Traction Control, includes electronic Trailer Sway Control and Hill Start Assist

PRODUCTIVITY + DRIVE EXPERIENCE

Built-in Wi-Fi® hotspot[8] (data plan required)

40/20/40 three-passenger split-bench front seat with covered armrest storage and underseat storage (lockable)

60/40 folding rear bench seat

Cargo tie-downs (12 welded)

Chevrolet Infotainment 3[25] with 7-inch diagonal HD colour touch-screen

CornerStep rear bumper with Durabed pickup bed

Cruise control[5]

Embedded OnStar® hardware, plus up to 8 years of OnStar Fleet Basics[11]

Power windows and door locks

Push Button Start

Recovery hooks[13]

Remote Keyless Entry with 2 transmitters

Rubberized-vinyl floor covering

Wireless Apple CarPlay®[22] and Android Auto™[23] compatibility

KEY AVAILABLE FEATURES

Optional features vary by trim level and may require the purchase of a package. See Order Guide for details.

3.0L Duramax® Turbo-Diesel engine (305 hp [227 kW]/ 495 lb.-ft. [671 Nm] of torque) with 10-speed automatic transmission

5.3L EcoTec3 V8 engine (355 hp [265 kW]/383 lb.-ft. [518 Nm] of torque) with 10-speed automatic transmission

6.2L EcoTec3 V8 engine (420 hp [313 kW]/460 lb.-ft. [624 Nm] of torque) with 10-speed automatic transmission

10-way power driver and front passenger seats

12.3-inch diagonal reconfigurable multicolour Driver Information Centre

15-inch diagonal multicolour Head-Up Display

120-volt power outlet, interior and bed-mounted

Adaptive Cruise Control[5]

Auto-dimming inside rearview mirror

Auto-locking rear differential

Bed View Camera[5]

Carpeted floor covering

Chevrolet Infotainment 3 Premium[25] with 13.4-inch diagonal HD colour touch-screen and Google built-in[9] compatibility (subscription[s] required for full functionality)

Dual-zone automatic climate control

E85 FlexFuel capability (Work Truck model with 5.3L V8 engine only)

Enhanced Automatic Emergency Braking[5]

Front and Rear Park Assist[5]

Front bucket seats with centre console

HD Surround Vision[5]

Heated front- and second-row outboard seats

Heated, wrapped steering wheel with audio controls

Hitch Guidance[5] with Hitch View[5]

Integrated trailer brake controller

Keyless Open and Start

Lane Change Alert with Side Blind Zone Alert[5]

LED cargo area lighting

Max Trailering Package[2]

Multi-Flex Tailgate with six functional load/access features

Pickup box delete (Work Truck Regular Cab only)

Power tilt/telescoping steering column

Rear Camera Mirror[5]

Rear Cross Traffic Braking[5]

Rear Pedestrian Alert[5]

Remote Start

Safety Alert Seat[5]

Snow Plow Prep Package[27]

Super Cruise™[17] driver assistance capability (3-year trial included[35])

Trailer Side Blind Zone Alert[5]

Trailer Tire Pressure Monitoring System[2]

Universal Vehicle Module (Work Truck only)

Upfitter switches[27] (5)

Ventilated front seats

Wireless compatible device charging[26]

Z71 Off-Road Package

At time of printing. Check vehicle Order Guide at time of vehicle order.

MODEL AVAILABILITY & SPECIFICATIONS

2026

CHEVROLET SILVERADO 1500



2025 U.S. model shown with optional equipment.

SILVERADO 1500

Cab Type	Drivetrain	Box Length	Wheelbase	Max. GVWR[20]	Max. Payload[19] (NOTE: When properly equipped. Available engine or equipment may be required. See dealer for required specifications.)	Max. Conventional Trailering[2] (NOTE: When properly equipped. Available engine or equipment may be required. See dealer for required specifications.)	Max. Gooseneck/ 5th-Wheel Trailering[2] (NOTE: When properly equipped. Available engine or equipment may be required. See dealer for required specifications.)
Regular Cab (seats up to 3)	2WD	1981 mm [6' 6"]	3213 mm [126 in.]	3039 kg [6,700 lbs.]	1021 kg [2,250 lbs.]	4128 kg [9,100 lbs.]	4082 kg [9,000 lbs.]
	4WD	1981 mm [6' 6"]	3213 mm [126 in.]	3084 kg [6,800 lbs.]	971 kg [2,140 lbs.]	4037 kg [8,900 lbs.]	3992 kg [8,800 lbs.]
	2WD	2438 mm [8']	3545 mm [140 in.]	3084 kg [6,800 lbs.]	1025 kg [2,260 lbs.]	4491 kg [9,900 lbs.]	4445 kg [9,800 lbs.]
	4WD	2438 mm [8']	3545 mm [140 in.]	3130 kg [6,900 lbs.]	1080 kg [2,380 lbs.]	4355 kg [9,600 lbs.]	4309 kg [9,500 lbs.]
Double Cab (seats up to 6)	2WD	1981 mm [6' 6"]	3746 mm [147 in.]	3221 kg [7,100 lbs.]	962 kg [2,120 lbs.]	6033 kg [13,300 lbs.]	4990 kg [11,000 lbs.]
	4WD	1981 mm [6' 6"]	3746 mm [147 in.]	3311 kg [7,300 lbs.]	930 kg [2,050 lbs.]	5897 kg [13,000 lbs.]	4899 kg [10,800 lbs.]
Crew Cab (seats up to 6)	2WD	1727 mm [5' 8"]	3745 mm [147 in.]	3221 kg [7,100 lbs.]	953 kg [2,100 lbs.]	5988 kg [13,200 lbs.]	4627 kg [10,200 lbs.]
	4WD	1727 mm [5' 8"]	3745 mm [147 in.]	3311 kg [7,300 lbs.]	948 kg [2,090 lbs.]	5897 kg [13,000 lbs.]	4536 kg [10,000 lbs.]
	2WD	1981 mm [6' 6"]	3987 mm [157 in.]	3221 kg [7,100 lbs.]	921 kg [2,030 lbs.]	5988 kg [13,200 lbs.]	4400 kg [9,700 lbs.]
	4WD	1981 mm [6' 6"]	3987 mm [157 in.]	3311 kg [7,300 lbs.]	921 kg [2,030 lbs.]	5988 kg [13,200 lbs.]	4355 kg [9,600 lbs.]